

literatuurlijst

Chloorhexidine

Maart 2010

samengesteld door:



The Oral Health Experts

Lichtschip 15, 3991 CP Houten

tel.: +31 (0) 30 6343154

fax.: + 31(0) 30 6343145

E-mail: info@dentaid.nl / info@dentaid.be

www.dentaid.nl

Inhoudsopgave:

- A. De effectiviteit van chloorhexidine in de tandheelkunde.
- B. Chloorhexidine mondspoelmiddelen, 0,1%, 0,12% en 0,2%.
- C. Mondspoelmiddelen met lage percentages chloorhexidine.
- D. Toepassing van chloorhexidine vóór en na (chirurgische) ingrepen.
- E. Chloorhexidine en verkleuringen van de harde en zachte weefsels.
- F. Chloorhexidine mondspoelingen met en zonder alcohol.
- G. Chloorhexidine in combinatie met tandpasta's.
- H. Overig.
- I. Chloorhexidine Gel-Tandpasta.

A. De effectiviteit van chloorhexidine in de tandheelkunde.

A. / 1 Grossman E. et al.	Six-month study of the effects of a chlorhexidine mouthrinse on gingivitis in adults.	Journal of Periodontal Research	1986	Supplement 33-43
A. / 2 Briner W.W. et al.	Effect of chlorhexidine gluconate mouthrinse on plaque bacteria.	Journal of Periodontal Research	1986	Supplement 44-52
A. / 3 Briner W.W. et al.	Assessment of susceptibility of plaque bacteria to chlorhexidine after six months' oral use.	Journal of Periodontal Research	1986	Supplement 53-59
A. / 4 Niklaus P. Lang et al.	Chlorhexidine digluconate – an agent for chemical plaque control and prevention of gingival inflammation.	Journal of Periodontal Research	1986	Supplement 74-89
A. / 5 Bernimoulin J.P. et al.	Recent concepts in plaque formation.	Journal of Periodontal Research	2003	Supplement 5: 7-9
A. / 6 Ruppert M. et al.	Chloorhexidine in de tandheelkunde: een overzicht	ACTA QP www.acta-qp.nl	2006	Aflevering 4
A. / 7 Quirynen M. et al.	Benefit of "one-stage full-mouth disinfection" is explained by disinfection and root planing within 24 hours: a randomized controlled trial	Journal of Periodontal Research	2006	33:639-647
A. / 8 Olympio K.P.K. et al.	Effectiveness of a chlorhexidine dentifrice in orthodontic patients: a randomized-controlled trial	Journal of Periodontal Research	2006	33:421-426
A. / 9 Faveri M. et al.	Scaling and root planing and chlorhexidine mouthrinses in the treatment of chronic periodontitis: a randomized, placebo-controlled clinical trial.	Journal of Periodontal Research	2006	33:819-828
A. / 10 M. Addy et al.	Comparison of the in vivo and in vitro antibacterial properties of providone iodine and chlorhexidine gluconate mouthrinses	Journal of Clinical Periodontology	1978	198-205
A. / 11 Gerald McDonnell et al.	Antiseptics and Disinfectants: Activity, Action and Resistance	Clinical Microbiology Reviews	1999	147-179
A. / 12	Overzicht Abstracts			

A./13 S.-I. Stratul et al.	Prospective clinical study evaluating the long-time adjunctive use of chlorhexidine after one-stage full-mouth SPR	International Journal of Dental Hygiene	2010	8-2010-35-40
A./14 M. Escribano et al.	Efficacy of a low-concentration chlorhexidine mouth rinse in non-compliant periodontitis patients attending a supportive periodontal care programme: a randomized clinical trial	Journal of Clinical Periodontology	2010	37:266-275
A./15 Systematic review Hoogeschool Utrecht	Het effect van hexetidine mondspoelmiddel op plaque en gingivitis	Nederlands Tijdschrift voor Mondhygiëne	2010	5:23
A./16 Dr. A. Rushton	Safety of Hibitane II. Human experience	Journal of Clinical Periodontal	1977	4: 73-79

B. Chloorhexidine mondspoelmiddelen, 0,1%, 0,12% en 0,2%.

B. / 1 Segreto V.S. et al.	A comparison of mouthrinses containing two concentrations of chlorhexidine.	Journal of Periodontal Research	1986	Supplement 23-32
B. / 2 Grossman E. et al.	A clinical comparison of antibacterial mouthrinses: Effects of chlorhexidine, phenolics and sanguinarine on dental plaque and gingivitis.	J. Periodontology	1989	vol. 60, No. 8. August
B. / 3 Addy M. et al.	A comparison of 0,12% and 0,1% chlorhexidine mouthrinse on the development of plaque and gingivitis.	Clinical Preventive Dentistry	1991	Vol. 13, No.3. May/June
B. / 4 Laurie J. Brightman et al.	The effects of a 0,12% chlorhexidine gluconate mouthrinse on orthodontic patients aged 11 through 17 with established gingivitis.	Am. J. Orthod. Dentofac. Orthop.	1991	100:324-9

B. / 5 Quirynen M. et al.	Effect of different chlorhexidine formulations in mouthrinses on de novo plaque formation.	J. Clin. Periodontology	2001	28:1127-1136
B. / 6 Herrera D. et al.	Differences in antimicrobial activity of four commercial 0,12% chlorhexidine mouthrinse formulations: an in vitro contact test and salivary bacterial counts study.	J. Clin. Periodontology.	2003	30: 307- 314
B./ 7 Sekino S., Ramberg P., Uzel N.G., Lindhe J. et al.	Effect of various chlorhexidine regimens on salivary bacteria and de novo plaque formation.	J. Clin. Periodontology	2003	30: 919-925
B./ 8 Van Strydonck D.A.C, Timmerman M.F., van der Velden U. et al.	Plaque inhibition of two commercially available chlorhexidine mouthrinses.	J. Clin. Periodontology	2005	32:305-309
B./ 9 Addy M. et al	A non-staining chlorhexidine mouthwash? Probably not: a study in vitro.	Int. J. Dent Hygiène 3	2005	59-63
B./ 10 Arweiler Nicole B. et al	Differences in efficacy of two commercial 0,2% chlorhexidine mouthrinse solutions : a 4-day plaque re-growth study	J. Clin. Periodontology	2006	33: 334-339
B./11 Arweiler Nicole B. et al	Efficacy of an alcohol-free chlorhexidine mouthrinse on 4-day plaque regrowth	ladr.confex.com	2005	59173NUM179

C. Mondspoelmiddelen met lage percentages chloorhexidine.

C. / 1 Brownstein C.N., et al.	Irrigation with chlorhexidine to resolve naturally occurring gingivitis. A methodologic study.	J. Clin. Periodontology	1990	17:588-593
C. / 2 Thomas F. Flemmig et al.	Supragingival irrigation with 0,06% chlorhexidine in naturally occurring gingivitis. I. 6 Months clinical observations.	J. Periodontology	1990	61:112-117
C. / 3 David L. et al.	Clinical and micro-biological effects of subgingival and gingival marginal irrigation with chlorhexidine gluconate.	J. Periodontology	1990	61: 663-669
C. / 4 Jenkins S. et al.	Dose response of chlorhexidine against plaque and comparison with triclosan.	J. Clin. Periodontology	1994	21:250-255
C. / 5 Mendieta C. et al.	Comparison of 2 chlorhexidine mouthwashes on plaque regrowth in vivo and dietary staining in vitro.	J. Clin. Periodontology	1994	21:296-300
C. / 6 Claydon N. et al.	A comparison of the plaque-inhibitory properties of stannous fluoride and low-concentration chlorhexidine mouthrinses.	J. Clin. Periodontology	2002	29 :1072-1077
C. / 7 Santos S., Herrera D. et al.	A randomized clinical trial on the short-term clinical and microbiological effects of the adjunctive use of a 0,05% chlorhexidine mouth rinse for patients in supportive periodontal care.	J. Clin. Periodontology	2004	31: 45-51
C. / 8 Quirynen M., Soers C., Desnyder M. et al.	A 0,05% cetylpyridinium chloride/ 0,05% chlorhexidine mouth rinse during maintenance phase after initial periodontal therapy	J. Clin. Periodontology	2005	32:390-400

D. Toepassing van chloorhexidine vóór en na tandheelkundige ingrepen.

D. / 1 Sanz M. et al.	Clinical enhancement of post-periodontal surgical therapy by a 0,12% chlorhexidine gluconate mouthrinse.	J.Periodontology	1989	60 :570-576
D. / 2 Newman M.G et al.	Effect of 0,12% chlorhexidine on bacterial recolonization following periodontal Surgery.	J.Periodontology	1989	60:577-581
D. / 3 Veksler Alberto E. et al.	Reduction of salivary bacteria by pre-procedural rinses with chlorhexidine 0,12%.	J.Periodontology.	1991	62:649-651
D. / 4 Ragno James R. et al.	Evaluation of 0,12% chlorhexidine rinse on the prevention of alveolar osteitis.	Oral Surg Oral Med Oral Pathol	1991	72 :524-6
D. / 5 Lambert Paul M. et al.	The influence of 0,12% chlorhexidine digluconate rinses on the incidence of infectious complications and implant success.	J. Oral Maxillofac. Surgery	1997	55 :25-20, Suppl. 5
D. / 6 Hermesch Charles B. et al.	Perioperative use of 0,12% chlorhexidine gluconate for the prevention of alveolar osteitis. Efficacy and risk factor analysis.	Oral Surg Oral Med Oral Pathol Oral Radiol Endod.	1998	85:381-7
D. / 7 Young Malcolm P.J. et al.	The effect of an immediately pre-surgical chlorhexidine oral rinse on the bacterial contaminants of bone debris collected during dental implant surgery.	Clin. Oral Implant Res.	2002	13:20-29

E. Chloorhexidine en verkleuringen van de harde en zachte weefsels.

E. / 1 Mendieta C et al.	Comparison of 2 chlorhexidine mouthwashes on plaque regrowth in vivo and dietary staining in vitro.	J. Clin. Periodontology	1994	21:296-300.
E. / 2 Dona B.L. et al.	The inhibitory effect of combining chlorhexidine and hydrogen peroxide on 3-day plaque accumulation.	J. Clin. Periodontology	1998	25 :879-883
E. / 3 Gründemann L.J.M.M. et al.	Staining, plaque and gingivitis reduction by combining chlorhexidine and peroxyborate.	J. Clin. Periodontology	2000	27:9-15
E. / 4 Addy M, Sharif N, Moran J.	A non-staining chlorhexidine mouthwash? Probably not: A study in vitro.	Int. J. Dental Hygiene 3	2005	59-63

F. Chloorhexidine mondspoelingen met en zonder alcohol.

F. / 1 Arweiler N.B. et al.	Alcohol-free mouthrinse solutions to reduce supragingival plaque regrowth and vitality A controlled clinical study.	J. Clin. Periodontology	2001	28:168-174
F. / 2 Borrajó L. et al.	Efficacy of Chlorhexidine Mouthrinses with and without Alcohol; a Clinical Study.	J. Clin. Periodontology	2002	72:317-321
F. / 3 Winn D.M. et al	Mouthwash use and oral conditions In the risk of oral and pharyngeal Cancer.	Cancer Res.	1991	1:51(11):3044-7
F. / 4 Weaver A. et al.	Mouthwash and oral cancer : Carcinogen or coincidence ?	J Oral Surg.	1979	37(4):250-3
F. / 5 Kabat G.C. et al.	Risk factors for oral cancer in women	Cancer Res.	1989	15;49(10)2803-6
F. / 6 Winn D.M. et al	Mouthwash in the etiology of oral cancer in Puerto Rico	Cancer Res.	2001	12(5):419-29
F. / 7 Weiner R..et al.	The effect of alcoholic and nonalcoholic mouthwashes on heattreated composite resin.	Opper Dent.	1997	22(6):249-53
F. / 8 Almerich J.M. et al.	Influence of alcohol in mouthwashes containing triclosan and zinc : an experimental gingivitis study.	J. Clin. Periodontology	2005	32(6):539-44
F. / 9 McCullough M.J..et al.	The role of alcohol in oral carcinogenesis with particular reference to alcohol-containing mouthwashes	Australian Dental Journal	2008	10.1111/j.1834-7819.2008.00070.x
F. / 10 Guha N. et al.	Oral Health and Risk of Squamous Cell Carcinoma of the Head and Neck and Esophagus : Results of Two Multicentric Case-Control Studies	American Journal of Epideminologie	2007	166:1159-1173

G. Chloorhexidine in combinatie met tandpasta's.

G. / 1 Barkvoll P., Rolla G.	Interaction between Chlorhexidine digluconate and Sodium Laurylsulfate in vivo.	J. Clin. Periodontology	1989	16(9) 593-5
G. / 2 Sheen S., Addy M.	The effect of toothpaste on the propensity of chlorhexidine and cetyl pyridinium chloride to produce staining in vitro; a possible predictor of inactivation.	J. Clin. Periodontology	2001	28: 46-51
G. / 3 Van Strydonck D.A.C, Scalé S., et al.	Influence of a SLS-containing dentifrice on the ant-plaque efficiency of a chlorhexidine mouthrinse.	J. Clin. Periodontology	2004	31: 219:222
G./ 4				
G./ 5 Barkvoll P. et al	Interaction between chlorhexidine digluconate and sodium monofluorophosphate in vitro	J. Dent Res	1988	96(1):30-3
G./ 6 Dolles O.K..	Determination of fluoride and chlorhexidine from chlorhexidine / fluoride-containing dentifrices	J. Dent Res	1979	87 (2):115-22
G./ 7 Sheen S. et al	Effect of toothpaste on the plaque inhibitory properties of a cetylpyridinium chloride mouth rinse	J. Clin. Periodontology	2003	30(3):255-60
G./ 8 Owens J. et al	A short-term clinical study design to investigate the chemical plaque inhibitory properties of mouthrinses when used as adjuncts to thootpastes: applied to chlorhexidine.	J. Clin. Periodontology	1997	24(10): 732-7
G./ 9 Addy M.	Studys on the effect of toothpaste rinses on plaque regrowth. (I). Influence of surfactants on chlorhexidine efficacy	J. Clin. Periodontology	1989	16(6):380-4
G./ 10 Svatun B.	Plaque-inhibiting effect of dentifrices containing stannous fluoride.	Acta Odontol Scand.	1978	36(4):205-10
G./11 Van Strydonck D., Van der Weijden F.	Poetsen na spoelen niet meer taboe. Chloorhexidine en tandpasta	Ned. Tandartsenblad	2006	
G./12 Van Strydonck, D.A.C. Et al	The anti-plaque efficacy of a chlorhexi-dine mouthrinse used in combination with toothbrushing with dentifrice	J. Clin. Periodontology	2004	31:691-695

H. Overig .

H./ 1 Russel B.G. et al	Oral use of chlorhexidine gluconate toothpaste in epileptic children.	J. Dent. Res	1978	86(1):52-7
H./ 2 Bay L.M. et al	Effect of chlorhexidine on dental plaque and gingivitis in mentally retarded children.	Community Dent Oral Epidemiol	1975	3(6):267-70
H./ 3 Cronan C.A.. et al	Inhibition of Porphyromonas gingivalis proteinases (gingipains) by chlorhexidine : synergistic effect of Zn (II)	Oral Microbiology Immunology	2006	21:212-217
H./ 4 Stoeken J.E. et al	Inhibition of "De Novo" plaque formation with 0.12% chlorhexidine spray compared to 0.2% spray and 0.2% chlorhexidine mouthwash.	J. Clin. Periodontology	2007	78:899-904

I. Chloorhexidine Gel-Tandpasta.

I./1 Mendieta C. et al.	Efficacy of a gel dentifrice on the inhibition of supragingival bacterial plaque re-growth.	Periodoncia	1998	8(3):189-190
I./2 Mendieta C. et al.	Efficacy of a gel dentifrice with 0,12% chlorhexidine on the inhibition of supragingival bacterial plaque re-growth.	Periodoncia	1999	9(3):242
I./3 Mendieta C. et al.	Efficacy of different formulations and systems of liberation of Chlorhexidine in the inhibition of supragingival bacterial plaque re-growth.	Periodoncia	1999	9(3):245